



ARTEWOOD

DRESS UP YOUR WALL







DRESS UP YOUR WALL

Designed to radiate the luxury, warmth and elegance of natural wood, Artewood will transform your wall into a piece of art that lasts forever.


AVAILABLE IN 3 COLOURS



WHITE PINE



DARK WALNUT



EBONY

Unmatched Value | Ease of Installation | Dampness Protection
Weather Resistant | Fire Resistant | Moisture Resistant

TECHNICAL SPECIFICATIONS

Physical Properties	
Density	1250 kg/m ³
Length & Width Tolerance	Length = +/- 8mm; Width = +/- 2mm
Thickness	+/- 10%
Modulus of Elasticity	7000 to 8000 GPa
Modulus of Rupture	13.0 MPa (Dry MOR)
Moisture Movement	2 mm to 2.5 mm/meter
Water Absorption	26 to 28%
Moisture Content	10 - 12 %
Water Impermeability	No droplet passes
Durability Properties	As per IS 14862
Freeze Thaw Resistance (50 cycles)	Pass
Warm Water Resistance	Pass
Soak Dry Resistance (50 cycles)	Pass
Heat-Rain Resistance (25 cycles)	Pass
Fire Resistance Properties	As per BS standards
Ignitability	Class P
Fire Propagation Index	Overall Index = 0.8
Surface Speed of Flame	Class 1
Thermal Properties	
Thermal Conductivity (Watt/m ² Kelvin)	0.12 to 0.14 w/m K



Call us: 1800 419 1991 | SMS "ARTEWOOD" to 56161 | info@artewood.in | www.artewood.in